


### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

#### Listing Of Claims

1. (currently amended) A compound comprising Formula XXVIII:



XXVIII

wherein

Q is selected from the group consisting of CO, CS, ~~SO~~, ~~SO<sub>2</sub>~~, ~~or~~ and C=NR<sub>9</sub>;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein;

R<sub>3</sub> and R<sub>4</sub> are taken together to form a substituted or unsubstituted 5-~~or~~6 membered carbocyclic ring; and

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted.


2. (original) A compound according to claim 1, wherein U provides 1-4 atom separation between V and the ring.
3. (original) A compound according to claim 1, wherein U provides 1-3 atom separation between V and the ring.

4. (original) A compound according to claim 1, wherein U is selected from the group consisting of  $-\text{CH}_2-$ ,  $-\text{CH}_2\text{CH}_2-$ ,  $-\text{CH}_2\text{CH}_2\text{CH}_2-$ ,  $-\text{C}(\text{O})-$ ,  $-\text{CH}_2\text{C}(\text{O})-$ ,  $-\text{C}(\text{O})\text{CH}_2-$ ,  $-\text{CH}_2\text{C}(\text{O})\text{CH}_2-$ ,  $-\text{C}(\text{O})\text{CH}_2\text{CH}_2-$ ,  $-\text{CH}_2\text{CH}_2\text{C}(\text{O})-$ ,  $-\text{O}-$ ,  $-\text{OCH}_2-$ ,  $-\text{CH}_2\text{O}-$ ,  $-\text{CH}_2\text{OCH}_2-$ ,  $-\text{OCH}_2\text{CH}_2-$ ,  $-\text{CH}_2\text{CH}_2\text{O}-$ ,  $-\text{N}(\text{CH}_3)-$ ,  $-\text{NHCH}_2-$ ,  $-\text{CH}_2\text{NH}-$ ,  $-\text{CH}_2\text{NHCH}_2-$ ,  $-\text{NHCH}_2\text{CH}_2-$ ,  $-\text{CH}_2\text{CH}_2\text{NH}-$ ,  $-\text{NH}-\text{C}(\text{O})-$ ,  $-\text{NCH}_3-\text{C}(\text{O})-$ ,  $-\text{C}(\text{O})\text{NH}-$ ,  $-\text{C}(\text{O})\text{NCH}_3-$ ,  $-\text{NHC}(\text{O})\text{CH}_2-$ ,  $-\text{C}(\text{O})\text{NHCH}_2-$ ,  $-\text{C}(\text{O})\text{CH}_2\text{NH}-$ ,  $-\text{CH}_2\text{NHC}(\text{O})-$ ,  $-\text{CH}_2\text{C}(\text{O})\text{NH}-$ ,  $-\text{NHCH}_2\text{C}(\text{O})-$ ,  $-\text{S}-$ ,  $-\text{SCH}_2-$ ,  $-\text{CH}_2\text{S}-$ ,  $-\text{SCH}_2\text{CH}_2-$ ,  $-\text{CH}_2\text{SCH}_2-$ ,  $-\text{CH}_2\text{CH}_2\text{S}-$ ,  $-\text{C}(\text{O})\text{S}-$ ,  $-\text{C}(\text{O})\text{SCH}_2-$ ,  $-\text{CH}_2\text{C}(\text{O})\text{S}-$ ,  $-\text{C}(\text{O})\text{CH}_2\text{S}-$ , and  $-\text{CH}_2\text{SC}(\text{O})-$ , each substituted or unsubstituted.
5. (original) A compound according to claim 1, wherein U is selected from the group consisting of  $-\text{CH}_2-$ ,  $-\text{CHR}_9-$ ,  $-\text{C}(\text{R}_9)(\text{R}_9)-$ ,  $-\text{O}-$ ,  $-\text{N}(\text{H})-$ ,  $-\text{N}(\text{R}_9)-$ , and  $-\text{S}-$ .
6. (original) A compound according to claim 1, wherein V is selected from the group consisting of a primary, secondary or tertiary amine, a heterocycloalkyl comprising a nitrogen ring atom, and a heteroaryl comprising a nitrogen ring atom.
7. (original) A compound according to claim 1, wherein the basic nitrogen of V is separated from the ring atom to which  $\text{R}_2$  is attached by between 1-5 atoms.
8. (original) A compound according to claim 1, wherein the basic nitrogen of V forms part of a primary, secondary or tertiary amine.
9. (original) A compound according to claim 1, wherein the basic nitrogen of V is a nitrogen ring atom of a heterocycloalkyl comprising a nitrogen ring atom or a heteroaryl comprising a nitrogen ring atom.
10. (original) A compound according to claim 1, wherein  $\text{R}_1$  is a substituted or unsubstituted aryl.

11. (original) A compound according to claim 1, wherein R<sub>1</sub> is a substituted or unsubstituted phenyl.

12. (original) A compound according to claim 1, wherein R<sub>1</sub> is a substituted or unsubstituted heteroaryl.

13. (currently amended) A compound comprising Formula XXIX:



XXIX

wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or and C=NR<sub>9</sub>;

J, K, L, and M are each ~~independently selected from the group of CR<sub>12</sub> and N~~;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6  
or 7 membered ring;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein;

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted; and

each R<sub>12</sub> is hydrogen or is independently selected from the group consisting of halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, alkyl, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, cyano, nitro, alkoxy, a carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted.

14. (cancelled)

15. (withdrawn) A compound according to claim 13, wherein the compound is a compound where J comprises a nitrogen ring atom.

16. (withdrawn) A compound according to claim 13, wherein the compound is a compound where K comprises a nitrogen ring atom.

17. (withdrawn) A compound according to claim 13, wherein the compound is a compound where L comprises a nitrogen ring atom.

18. (withdrawn) A compound according to claim 13, wherein the compound is a compound where M comprises a nitrogen ring atom.

19. (withdrawn) A compound according to claim 13, wherein the compound is a compound where J and L each comprise a nitrogen ring atom or J and K each comprise a nitrogen ring atom.

20. (withdrawn) A compound according to claim 13, wherein the compound is a compound where K and L each comprise a nitrogen ring atom.

21. (withdrawn) A compound according to claim 13, wherein the compound is a compound where K and M each comprise a nitrogen ring atom.

22. (withdrawn) A compound according to claim 13, wherein the compound is a compound where J and M each comprise a nitrogen ring atom or L and M each comprise a nitrogen ring atom.

23. (withdrawn) A compound according to claim 13, wherein at least two of J, K, L and M comprise a nitrogen ring atom.

24. (withdrawn) A compound according to claim 13, wherein at least three of J, K, L and M comprise a nitrogen ring atom.

25. (original) A compound according to claim 13, wherein the ring formed by J, K, L, and M comprises substituents that form a ring fused to or bridged to the ring formed by J, K, L, and M.

26. (cancelled)

27. (original) A compound according to claim 13, wherein K is CR<sub>12</sub>, where R<sub>12</sub> is independently selected from the group consisting of halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, cyano, nitro, alkyl, aryloxy, heteroaryloxy, amino, and alkoxy, each substituted or unsubstituted.

28. (original) A compound according to claim 13, wherein K is CR<sub>12</sub>, where R<sub>12</sub> is independently selected from the group consisting of heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryl, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, thio, a carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted.

29. (original) A compound according to claim 13, wherein K is CR<sub>12</sub>, where R<sub>12</sub> is independently selected from the group consisting of chloro, bromo, fluoro, iodo, methoxy, morpholin-4-yl, and pyrrolidin-1-yl, each substituted or unsubstituted.

30. (cancelled)







31. (original) A compound according to claim 13, wherein L is CR<sub>12</sub>, where R<sub>12</sub> is independently selected from the group consisting of halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, cyano, nitro, alkyl, aryloxy, heteroaryloxy, amino, morpholin-4-yl, and pyrrolidin-1-yl, and alkoxy, each substituted or unsubstituted.

32. (cancelled)

33. (withdrawn) A compound according to claim 13, wherein:

K is CR<sub>12</sub>, where R<sub>12</sub> is independently selected from the group consisting of halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, cyano, nitro, alkyl, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, alkoxy, a carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted; and  
L is nitrogen.

34. (withdrawn) A compound comprising a member selected from the group consisting of Formulae XXXa, XXXb, XXXc, XXXd, XXXe and XXXf:



wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or C=NR<sub>9</sub>;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;


R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein;

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted; and

each R<sub>19</sub> is independently selected from the group consisting of hydrogen, halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, cyano, nitro, alkyl, alkene, alkyne, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, alkoxy, carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted, with the proviso that R<sub>19</sub> is not alkylthio, arylthio, halo, cyano, nitro, and thio in the case where the ring atom to which R<sub>19</sub> is bound is nitrogen.

35. (withdrawn) A compound according to claim 34, wherein two R<sub>19</sub> are taken together to form a substituted or unsubstituted fused or bridged ring.

36. (withdrawn) A compound comprising Formula XXXI:



XXXI

wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or C=NR<sub>9</sub>;

W, X, and Y are each independently selected from the group of moieties where the ring atom is either C, N, O or S;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein; and

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted.

37. (withdrawn) A compound according to claim 36, wherein at least one of W, X, and Y is CO.

38. (withdrawn) A compound according to claim 36, wherein at least one of W, X, and Y is SO.

39. (withdrawn) A compound according to claim 36, wherein at least one of W, X, and Y is SO<sub>2</sub>.

40. (withdrawn) A compound according to claim 36, wherein at least one of W, X, and Y comprises a ring nitrogen atom.


41. (withdrawn) A compound according to claim 36, wherein at least two of W, X, and Y comprises a ring nitrogen atom.

42. (withdrawn) A compound according to claim 36, wherein W and Y are taken together to form a substituted or unsubstituted bridged ring relative to the ring formed by W, X and Y.

43. (withdrawn) A compound according to claim 36, wherein two of W, X, and Y are taken together to form a substituted or unsubstituted ring fused to the ring formed by W, X and Y.



44. (withdrawn) A compound comprising a member selected from the group consisting of Formulae XXXIIa, XXXIIb or XXXIIc:



wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or C=NR<sub>9</sub>;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;


R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein;

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted; and


each R<sub>19</sub> is independently selected from the group consisting of hydrogen, halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, cyano, nitro, alkyl, alkene, alkyne, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, alkoxy, carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted, with the proviso that R<sub>19</sub> is not alkylthio, arylthio, halo, cyano, nitro, and thio in the case where the ring atom to which R<sub>19</sub> is bound is nitrogen.

45. (withdrawn) A compound according to claim 44, wherein two R<sub>19</sub> are taken together to form a substituted or unsubstituted bridged or spiro ring.

46. (withdrawn) A compound comprising Formula XXXIIIa or Formula XXXIIIb:



XXXIIIa



XXXIIIb

wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or C=NR<sub>9</sub>;

W, X, and Y are each independently selected from the group of moieties where the ring atom is either C, N, O or S;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein; and

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted.

47. (withdrawn) A compound according to claim 46, wherein the compound is a compound of Formula XXXIIIa wherein Y is selected from the group consisting of CO, SO or SO<sub>2</sub>.

48. (withdrawn) A compound according to claim 46, wherein the compound is a compound of Formula XXXIIIb wherein W is selected from the group consisting of CO, SO or SO<sub>2</sub>.

49. (withdrawn) A compound according to claim 46, wherein W comprise a ring nitrogen atom.

50. (withdrawn) A compound according to claim 46, wherein X comprise a ring nitrogen atom.


51. (withdrawn) A compound according to claim 46, wherein Y comprise a ring nitrogen atom.

52. (withdrawn) A compound according to claim 46, wherein at least two of W, X, and Y comprises a ring nitrogen atom.

53. (withdrawn) A compound according to claim 46, wherein two of W, X, and Y are taken together and substituted through available valencies to form a substituted or unsubstituted ring fused or bridged to the ring formed by W, X and Y.

54. (withdrawn) A compound according to claim 46, wherein W, X, and Y are selected such that the compound comprises a ring system selected from the group consisting of 4-oxo-4H-thieno[3,2-d]pyrimidine, 7-oxo-1,2,3,7-tetrahydro-8-thia-4,6-diaza-cyclopenta[a]indene, 7-methyl-6-oxo-6,7-dihydro-purine, and 6-oxo-6,9-dihydro-purine, each substituted or unsubstituted.

55. (withdrawn) A compound comprising Formulae XXXIVa, XXXIVb, or XXXIVc:



wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or C=NR<sub>9</sub>;

X is selected from the group of moieties where the ring atom is either C, N, O or S in Formula XXIVa, or X is selected from the group of moieties where the ring atom is either C or N in Formula XXXIVb or Formula XXXIVc;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6

or 7 membered ring;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein;


R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted; and

each R<sub>19</sub> is independently selected from the group consisting of hydrogen, halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, cyano, nitro, alkyl, alkene, alkyne, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, alkoxy, carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted, with the proviso that R<sub>19</sub> is not alkylthio, arylthio, halo, cyano, nitro, and thio in the case where the ring atom to which R<sub>19</sub> is bound is nitrogen.


56. (withdrawn) A compound according to claim 55, wherein two R<sub>19</sub> are taken together to form a substituted or unsubstituted ring.

57. (withdrawn) A compound according to claim 55, wherein the compound comprises Formula XXXIVa and the two R<sub>19</sub> are taken together to form a substituted or unsubstituted fused or bridged ring.


58. (currently amended) A compound comprising a member selected from the group of Formulae XXXVa, XXXVb and XXXVc:



XXXVa



XXXVb



XXXVc

wherein

Q is selected from the group consisting of CO, CS, ~~SO~~, ~~SO<sub>2</sub>~~, ~~or~~ and C=NR<sub>3</sub>;

J, K, L, and M are each independently selected from the group of moieties where the ring atom is ~~either C, N, O or S~~;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring; and

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein.

59. (withdrawn) A compound according to claim 58, wherein the compound is a compound where J, K, L and M each comprise a carbon ring atom.

60. (withdrawn) A compound according to claim 58, wherein at least one of J, K, L and M comprise a nitrogen ring atom.


61. (withdrawn) A compound according to claim 58, wherein the compound is a compound where J and K each comprise a nitrogen ring atom or J and L each comprise a nitrogen ring atom.

62. (withdrawn) A compound according to claim 58, wherein the compound is a compound where K and L each comprise a nitrogen ring atom or K and M each comprise a nitrogen atom.

63. (withdrawn) A compound according to claim 58, wherein the compound is a compound where J and M each comprise a nitrogen ring atom or L and M each comprise a nitrogen ring atom.

64. (withdrawn) A compound according to claim 58, wherein at least two of J, K, L and M comprise a nitrogen ring atom.

65. (withdrawn) A compound according to claim 58, wherein at least three of J, K, L and M comprise a nitrogen ring atom.
66. (original) A compound according to claim 58, wherein at least one of J, K, L and M is CO.
67. (withdrawn) A compound according to claim 58, wherein at least one of J, K, L and M is SO.
68. (withdrawn) A compound according to claim 58, wherein at least one of J, K, L and M is SO<sub>2</sub>.
69. (original) A compound according to claim 58, wherein the ring formed by J, K, L, and M comprises substituents, through available valencies, that form a ring fused to the ring formed by J, K, L, and M or, in the case of Formula XXXVb, J and M form a bridged ring relative to the ring formed by J, K, L, and M.
70. (currently amended) A compound comprising Formula XXXVI:



XXXVI

wherein

Q is selected from the group consisting of CO, CS, ~~SO, SO<sub>2</sub>, or~~ and C=NR<sub>9</sub>;

J, K, L, and M are each independently selected from the group of moieties where the ring atom is either C, N, O or S;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of

interacting with a carboxylic acid side chain of an active site residue of a protein; and

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted.

71. (original) A compound according to claim 70, wherein at least one of J, K, L and M is CO.

72. (withdrawn) A compound according to claim 70, wherein at least one of J, K, L and M is SO.

73. (withdrawn) A compound according to claim 70, wherein at least one of J, K, L and M is SO<sub>2</sub>.

74. (cancelled)

75. (withdrawn) A compound according to claim 70, wherein the compound is a compound where J comprises a nitrogen ring atom.

76. (withdrawn) A compound according to claim 70, wherein the compound is a compound where K comprises a nitrogen ring atom.

77. (withdrawn) A compound according to claim 70, wherein the compound is a compound where L comprises a nitrogen ring atom.

78. (withdrawn) A compound according to claim 70, wherein the compound is a compound where M comprises a nitrogen ring atom.

79. (withdrawn) A compound according to claim 70, wherein the compound is a compound where J and K each comprise a nitrogen ring atom or J and L each comprise a nitrogen ring atom.

80. (withdrawn) A compound according to claim 70, wherein the compound is a compound where K and L each comprise a nitrogen ring atom or K and M each comprise a nitrogen atom.

81. (withdrawn) A compound according to claim 70, wherein the compound is a compound where J and M each comprise a nitrogen ring atom or L and M each comprise a nitrogen ring atom.

82. (withdrawn) A compound according to claim 70, wherein at least two of J, K, L and M comprise a nitrogen ring atom.

83. (withdrawn) A compound according to claim 70, wherein at least three of J, K, L and M comprise a nitrogen ring atom.

84. (original) A compound according to claim 70, wherein the ring formed by J, K, L, and M comprises substituents that form a ring fused to the ring formed by J, K, L, and M.

85. (original) A compound according to claim 70, wherein the ring formed by J, K, L, and M comprises substituents that form a bridged ring relative to the ring formed by J, K, L, and M.

86. (original) A compound selected from the group consisting of:

2-Aminomethyl-3-phenyl-3H-quinazolin-4-one;

2-Ethylaminomethyl-3-phenyl-3H-quinazolin-4-one;

[(4-Oxo-3-phenyl-3,4-dihydro-quinazolin-2-ylmethyl)-amino]-acetic acid methyl

ester;

[(4-Oxo-3-phenyl-3,4-dihydro-quinazolin-2-ylmethyl)-amino]-acetic acid;

2-Aminomethyl-3-(2,4-dichloro-phenyl)-3H-quinazolin-4-one;

2-Aminomethyl-3-(2-chloro-phenyl)-3H-quinazolin-4-one; and

2-Aminomethyl-3-(4-chloro-phenyl)-3H-quinazolin-4-one.